



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/023,460	12/13/2001	Charles E. Taylor	SHPR-01041USJ SRM	3479
29190	7590	07/05/2005	EXAMINER	
BELL, BOYD & LLOYD LLC P.O. BOX 1135 CHICAGO, IL 60690-1135			TRAN, THAO T	
			ART UNIT	PAPER NUMBER
			1711	
DATE MAILED: 07/05/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/023,460

Applicant(s)

TAYLOR ET AL.

Examiner

Thao T. Tran

Art Unit

1711

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 15 June 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 25-40, 42-57, 59, 60, 82-86, 92-94, 100 and 102 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 25-40, 42-57, 59, 60, 82-86, 92-94, 100 and 102 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/15/2005 has been entered.
2. Claims 25-40, 42-57, 59-60, 82-86, 92-94, 100, 102 are currently pending in this application.

### ***Claim Rejections - 35 USC § 112***

3. In view of the prior Office action of 1/11/2005, the rejection of claims 27 and 46, under 35 U.S.C. 112, second paragraph, has been withdrawn due to the Amendment made thereto.
4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
5. Claims 25-40, 42-57, 59-60, 82-86, 92-94, 100, 102 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Art Unit: 1711

Claims 25, 44, and 92 recite the limitation “cylindrical surface” or “cylinder” that are considered as new matter because they have no adequate support in the application as originally presented. Neither the specification nor the Figures show a cylindrical opening in the electrode.

6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

7. Claims 25-40, 42-57, 59-60, 82-86, 92-94, 100, 102 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 25, 44, and 92 are indefinite due to the use of “cylindrical surface” or “cylinder”. It is unclear to the examiner which part of the electrode Applicants are trying to claim. Clarification of these limitations is required.

### ***Double Patenting***

8. In view of the prior Office action of 1/11/2005, the rejection of claims 25-27, 32, 36-39, 41-46, 51, 55-56, 58-60, 82, 86-87, 92-94, 100, and 102, under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1, 3-4, 6-10, 13-16, 22-26, and 36-37 of U.S. Patent No. 6,544,485, has been withdrawn due to the terminal disclaimer timely filed on 3/9/2005.

***Claim Rejections - 35 USC § 103***

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. Claims 25-33, 35-37, 39, 42-52, 54-56, 59, 82-86, 92-94, and 100-102 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawashima (US Pat. 4,516,991) in view of Fritzius (US Pat. 3,638,058).

Kawashima teaches an air cleaning apparatus (electro-kinetic air transporter), comprising an upstanding, elongated casing (housing) with an air inlet in front and an air outlet in the rear, a plurality of dust collecting panel electrodes arranged in parallel, ionizing wires, a voltage source connected to the dust collecting electrodes and the ionizing wires such that an air flow is created between the ionizing wires and the collecting electrodes (see Fig. 2-9; col. 1, ln. 8-29).

Kawashima further teaches a base to support the housing in an upstanding position (see Figs. 2-5). Kawashima further teaches a power source E1, power switch 27 (see Figs. 2 & 4; col. 4, ln. 63-64).

Kawashima, however, does not teach a pin-ring electrode configuration.

Fritzius teaches an ion wind generator, comprising pairs of pin-shaped cathodes and ring-shaped anodes; wherein an air stream flows from the cathodes toward the anodes (see Fig. 1; col. 1, ln. 8-20). Fritzius further teaches that with this configuration a heavy flow of wind is created, resulting in extremely effective and inexpensive ion generator. Fritzius also teaches the ring anodes attracting some ionized particles in the air stream flowing through the anodes (see Fig. 1;

Art Unit: 1711

paragraph bridging col. 1-2). The anodes in Fritzius appear to have a donut shape or the shape of a tire, thus they appear to have the same cylindrical surface as presently claimed.

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to have employed the pin-ring electrode configuration, as taught by Fritzius, in the air cleaning apparatus of Kawashima, for the purpose of improving the efficacy and cost of the apparatus.

The cathodes of Fritzius have the tips that has a cone shape (see Fig. 1). Since it is the tips of the cathodes that emits ions, it would have been obvious to one of ordinary skill in the art, that the cathodes of Fritzius would have worked as equally well as the presently claimed cathodes.

Fritzius further teaches the use of alternating pulses in order to accelerate the speed of the ions or airflow further (see col. 1, ln. 23-25; col. 2, ln. 33-37). Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to have employed pulse voltage as taught by Fritzius in the apparatus of Kawashima, for the purpose of increasing the airflow and also minimizing anode current thereby reducing electrolysis effects (see col. 1, ln. 30-32).

Kawashima is silent with respect to a user control being located on the top surface of the housing. However, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, that whether a user control is on the top surface or on the stand, it would have worked equally well.

The same arguments are presented for the shape of the housing.

Art Unit: 1711

Kawashima teaches the apparatus having a handle 9 (see Fig. 4). The reference is silent with respect to the use of a handle to assist in removal of the second electrode out through the top of the housing. However, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, that Kawashima's handle would play a role in assisting the removal of the second electrode; and that how the second electrode would be removed from the housing would have little patentable weight in an apparatus claim.

11. Claims 34, 40, 53, and 57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawashima and Fritzius as applied to claims 25 and 44 above, and further in view of Anzai (US Pat. 4,772,297).

Kawashima and Fritzius are as set forth in claims 25 and 44 above and incorporated herein.

The Kawashima combination does not teach the air inlet and air outlet to be covered with louvers.

Anzai teaches the use of air inlet and air outlet with louvers B1 and B2 (see Fig. 1-4). Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to have included the louvers covering the inlet and outlet, as taught by Anzai, in the apparatus of the Kawashima combination, for the purpose of providing better control of the airflow into and out of the apparatus.

12. Claims 38 and 60 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawashima and Fritzius as applied to claims 25 and 44 above, and further in view of Taylor.

Kawashima and Fritzius are as set forth in claims 25 and 44 above and incorporated herein.

Art Unit: 1711

The Kawashima combination does not teach the pin electrode including a plurality of conductive fibers.

Taylor teaches the pin electrode comprising conductive fibers (see Fig. 4K; col. 10, ln. 26-36). Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made, to have employed the pin electrodes comprising conductive fibers, as taught by Taylor, in the apparatus of the Kawashima combination, for the purpose of more emitting surfaces, hence enhancing the output of ions.

#### ***Response to Arguments***

13. No arguments were presented by Applicants.

#### ***Contact Information***

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thao T. Tran whose telephone number is 571-272-1080. The examiner can normally be reached on Monday-Friday, from 9:00 a.m. - 5:30 p.m..


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Seidleck can be reached on 571-272-1078. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.



Art Unit: 1711

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

tt  
June 24, 2005



**THAO T. TRAN**  
**PATENT EXAMINER**